



INSTITUT GUMÁRENSKÉ TECHNOLOGIE A TESTOVÁNÍ, A.S.
RUBBER TECHNOLOGY AND TESTING INSTITUTE, Plc.
INSTITUT FÜR GUMMITECNOLOGIE UND PRÜFWESEN, A.G.
A.O. «ИНСТИТУТ ТЕХНОЛОГИИ РЕЗИНЫ И ИСПЫТАНИЙ»

Společnost je zapsána v obchodním rejstříku vedeném Krajským soudem v Brně, oddíl B, vložka 818



Zlín 24th October 2025

E8*75R00/20*1769*01

Yokohama TWS Slovenija d.o.o.
Škofjeloška cesta 6
4000 Kranj
SLOVENIA

Communication concerning the approval and notification of approval number and inspection report issued by Inspection body IGTT

Tyre type fully complies requirements of ECE/UN R75.

Enclosed you will find the Communication concerning the approval of your tyres according to ECE/UN Regulation No. 75

On the base of this approval you are entitled to produce in your factory tyres of the dimension:

150/70-14 MITAS ENDURO TRAIL-ADV 2 66S

with the approval number : **E8 75R - 001769**
date of inspection : **24th October 2025**
inspector's name : **Václav Hořelka**

Sincerely yours,



Václav Hořelka
Head Of Tyre Approval Department
Head Of Inspection Body IGTT

**Application for extension of a type of pneumatic tyre for motorcycles and mopeds
according to ECE Regulation No. 75, 00 series of amendments
Approval number: E8 75R- 001769
Correction: Category of use from „normal“->“snow“**

1. Manufacturer's name and address :Reise Mitas Tires LLP
Plot No. 521, Sayakha Industrial Estate,
Near Village Juned, Taluka Vagra,
Dist. Bharuch, Gujarat, Pin-392140, India
2. Tyre type designation
2.1. Brand-name(s)/trademark(s) : MITAS
2.2. Trade description(s)/Commercial name(s) : ENDURO TRAIL-ADV 2
3. If applicable, name and address of manufacturer's representative : Not applicable
4. Summarized description
4.1. Tyre-size designation : 150/70-14
4.1.1 Alternative tyre size designation : Not applicable
4.2. Category of use : Normal/Snow/Special/Moped/All-terrain
4.3. Structure : Diagonal/Bias-belted/Radial
4.4. Speed category symbol : S
4.5. Load-capacity index : 66
4.6. Overall dimensions (design)
4.6.1. Overall section width : 150.28mm
4.6.2. Outer diameter : 560.2mm
4.7. Factor 'x' : 0.7
4.8. Ply-rating number (If applicable) : Not applicable
4.9. Rims on which the tyre can be mounted : 3.50x14, 3.75x14, 4.00x14, 4.25x14, 4.50x14
4.10. Measuring rim and test rim : 4.00x14
4.11. State whether the tyre is : Tubeless / Tube type
4.12. State whether the tyre is : Standard / Reinforced
4.13. The test and measurement pressures : 300; 225
4.14. For VR tyres >240 km/h or
ZR tyres >270 km/h : Not applicable
4.14.1 The maximum speed permitted by
the tyre manufacturer : 180km/h
- 4.15. For All terrain tyres, the symbol (stars)
Identifying the reference inflation pressure : Not applicable
5. Submitted for approval on (date) : 22.10.2025

THIS APPLICATION IS ACCOMPANIED BY:

- A drawing of the tyre's side wall, tread and dimensioned cross section.
- List of manufacturing facilities

**Signature and manufacturer's
stamp:**

Yokohama TWS Slovenija d.o.o.
Družba za proizvodnjo in trženje pnevmatik
Škofjeloška cesta 6, 4000 Kranj, Slovenija

Name: David Lončarič

13

Page 1 of 2



List of manufacturing facilities:

Tyre Manufacturer (1)

Yokohama TWS Slovenija d.o.o.

Škofjeloška cesta 6,

4000 Kranj, Slovenia

Tyre Manufacturer (2)

Reise Mitas Tires LLP

Plot No. 521, Sayakha Industrial Estate,

Near Village Juned, Taluka Vagra,

Dist. Bharuch, Gujarat, Pin-392140, India