




Kraftfahrt-Bundesamt

DE-24932 Flensburg



MITTEILUNG

ausgestellt von:

Kraftfahrt-Bundesamt

über die Erweiterung einer Genehmigung für einen Schutzhelmtyp ohne einem Visiertyp(en) nach der Regelung Nr. 22 einschließlich Änderung Nr. 06 Ergänzung 03

COMMUNICATION

issued by:

Kraftfahrt-Bundesamt

concerning the extension of an approval of a type of protective helmet without a visor type(s) pursuant to Regulation No. 22 including amendment No. 06 supplement 03

Genehmigungsnummer: **E1*22R06/03*300693*03**

Approval number:

1. Fabrik- oder Handelsmarke:
Trade name or mark:
ACERBIS, ALL ONE, Aprilia, APRILIA, BRG, BULLIT, CKX, CMS, CRN, FASEED, HYPE, ILM, KORDA, MAC, MAXXE, NAXA, POLARIS, ROCC, RYNOX, SHAFT, SWAY, UFO, UFO PLAST ITALY SRL, UNIK, VEXO, VITO, WULF
2. Typ:
Type:
FS-609
3. Größen:
Sizes:
XS (53/54), S (55/56), M (57/58), L (59/60), XL (61/62), XXL (63/64)
4. Name des Herstellers:
Manufacturer's name:
**JIANGYIN DAFEIMA AUTOMOBILE TECHNOLOGY CO., LTD.
CN-Huaxi Village V, Huashi Town, Jiangyin City**
5. Anschrift:
Address:
**Siehe Punkt 4.
See item 4.**



Kraftfahrt-Bundesamt

DE-24932 Flensburg

2

Genehmigungsnummer: **E1*22R06/03*300693*03**

Approval Number:

6. Name des Vertreters des Herstellers (gegebenenfalls):
Name of manufacturer's representative (if any):
Entfällt
Not applicable
7. Anschrift:
Address:
Siehe Punkt 6.
See item 6.
8. Kurze Beschreibung des Helms:
Brief description of helmet:
Siehe Anlagen
See enclosures
9. **Helm mit schützender unterer Gesichtsabdeckung (P)**
Helmet with protective lower face cover (P)
10. Visiertyp oder Visiertypen:
Type of visor or visors:
Entfällt
Not applicable
11. Kurze Beschreibung des Visiers oder der Visiere:
Brief description of visor(s):
Entfällt
Not applicable
12. **Helm betriebsbereit für spezifisches Zubehör (SA)/betriebsbereit für universelles Zubehör (UA)**
Helmet ready for specific accessory (SA)/ready for universal accessories (UA)
Entfällt
Not applicable
13. In der Helmhomologation enthaltenes Zubehör und Funktionalität:
Accessories included in the helmet homologation and functionality:
Entfällt
Not applicable
14. Wenn UA-Helm:
If UA helmet:
Entfällt
Not applicable



Kraftfahrt-Bundesamt

DE-24932 Flensburg

3

Genehmigungsnummer: **E1*22R06/03*300693*03**

Approval Number:

- 14.1. Falls das S40 oder das S45 Lautsprecher-Versuchsmuster für den Homologations-Test genutzt wurde:

If S40 or S45, speaker dummy used for the homologation test:

Entfällt

Not applicable

15. Zur Genehmigung vorgelegt am:

Submitted for approval on:

18.04.2025

16. Technischer Dienst, der die Prüfungen für die Genehmigungen durchführt:

Technical service responsible for conducting approval tests:

SGS-TÜV Saar GmbH

DE-81379 München

17. Datum des Gutachtens des Technischen Dienstes:

Date of report issued by that service:

14.04.2025

18. Nummer des Gutachtens des Technischen Dienstes:

Number of report issued by that service:

HOM ECN T18/093-03

19. Bemerkung(en):

Remark(s):

Handelsbezeichnung(en):

General commercial description(s):

FASEED, ACERBIS, WULF, HYPE, NAXA, KORDA, ILM, SWAY, CRN, VEXO,

BRG: FS-609

SHAFT: SH-MX36, SH-MX36 STELL

UNIK: CX-18

CKX: TX 319

UFO, UFO PLAST ITALY SRL: INTREPID

MAC: MX 609

POLARIS: TENACITY 4.0

ROCC: ROCC800

Ausführung(en):

Version(s):

1, 2

20. Die Genehmigung wird **erweitert**

Approval is **extended**



Kraftfahrt-Bundesamt

DE-24932 Flensburg

4

Genehmigungsnummer: **E1*22R06/03*300693*03**

Approval Number:

21. Ort: **DE-24932 Flensburg**
Place:

22. Datum: **29.04.2025**
Date:

23. Unterschrift: **Im Auftrag**
Signature:


(D. Stieglitz)



24. Folgende mit der oben erwähnten Genehmigungsnummer versehene Dokumente sind auf Anforderung erhältlich:
The following documents, bearing the approval number shown above, are available on request:

Anlagen:

Enclosures:

Gemäß Inhaltsverzeichnis

According to index



Kraftfahrt-Bundesamt

DE-24932 Flensburg

Zu: **E1*22R06/03*300693*03**

To:

Erklärung über die Einhaltung der Anforderungen hinsichtlich der Übereinstimmung der Produktion gemäß dem Übereinkommen von 1958

Statement of compliance with the conformity of the production requirements of the 1958 Agreement

1. Name des Herstellers:
Manufacturer's name:
JIANGYIN DAFEIMA AUTOMOBILE TECHNOLOGY CO., LTD.
CN-Huaxi Village V, Huashi Town, Jiangyin City
2. Datum der Anfangsbewertung:
Date of the initial assessment:
07.03.2016
3. Datum aller durchgeführten Überwachungstätigkeiten:
Date of any surveillance activities:

Aktenzeichen Register number	Datum der Begehung Date of inspection	Genehmigungsnummer Approval number
CoP-Q: Entfällt Not applicable		
CoP-P: P-501881	03.09.2018	05300580
P-503475	03.03.2022	E1*22R05/03*300761*01



Kraftfahrt-Bundesamt

DE-24932 Flensburg

Zu: **E1*22R06/03*300693*03**

To:

Inhaltsverzeichnis zu den Beschreibungsunterlagen Index to the information package

Ausgabedatum: **04.07.2018**

Date of issue:

Letztes Änderungsdatum:

29.04.2025

Last date of amendment:

Nebenbestimmungen und Rechtsbehelfsbelehrung
Collateral clauses and instruction on right to appeal

Prüfbericht(e) Nr.:

Test report(s) No.:

HOM ECN T18/093-00

HOM ECN T18/093-01

HOM ECN T18/093-02

HOM ECN T18/093-03

Datum:

Date:

11.06.2018

01.08.2019

07.07.2023

14.04.2025

Beschreibungsbogen Nr.:

Information document No.:

R22-FS-609-00

R22-FS-609-03

Datum:

Date:

30.05.2018

04.04.2025

Liste der Änderungen:

List of modifications:

Siehe Prüfbericht: "List of modifications"

See test report: "List of modifications"

Datum:

Date:

14.04.2025



Kraftfahrt-Bundesamt

DE-24932 Flensburg

Nummer der Genehmigung: **E1*22R06/03*300693*03**

- Anlage -

Nebenbestimmungen und Rechtsbehelfsbelehrung

Nebenbestimmungen

Jede Einrichtung, die dem genehmigten Typ entspricht, ist gemäß der angewendeten Vorschrift zu kennzeichnen.

Die Einzelerzeugnisse der reihenweisen Fertigung müssen mit den Genehmigungsunterlagen genau übereinstimmen. Änderungen an den Einzelerzeugnissen sind nur mit ausdrücklicher Zustimmung des Kraftfahrt-Bundesamtes gestattet.

Änderungen der Firmenbezeichnung, der Anschrift und der Fertigungsstätten sowie eines bei der Erteilung der Genehmigung benannten Zustellungsbevollmächtigten oder bevollmächtigten Vertreters sind dem Kraftfahrt-Bundesamt unverzüglich mitzuteilen.

Verstöße gegen diese Bestimmungen können zum Widerruf der Genehmigung führen und können überdies strafrechtlich verfolgt werden.

Die Genehmigung erlischt, wenn sie zurückgegeben oder entzogen wird, oder der genehmigte Typ den Rechtsvorschriften nicht mehr entspricht. Der Widerruf kann ausgesprochen werden, wenn die für die Erteilung und den Bestand der Genehmigung geforderten Voraussetzungen nicht mehr bestehen, wenn der Genehmigungsinhaber gegen die mit der Genehmigung verbundenen Pflichten - auch soweit sie sich aus den zu dieser Genehmigung zugeordneten besonderen Auflagen ergeben - verstößt oder wenn sich herausstellt, dass der genehmigte Typ den Erfordernissen der Verkehrssicherheit oder des Umweltschutzes nicht entspricht.

Das Kraftfahrt-Bundesamt kann jederzeit die ordnungsgemäße Ausübung der durch diese Genehmigung verliehenen Befugnisse, insbesondere die genehmigungsgerechte Fertigung sowie die Maßnahmen zur Übereinstimmung der Produktion, nachprüfen. Es kann zu diesem Zweck Proben entnehmen oder entnehmen lassen. Dem Kraftfahrt-Bundesamt und/oder seinen Beauftragten ist ungehinderter Zutritt zu Produktions- und Lagerstätten zu gewähren.

Die mit der Erteilung der Genehmigung verliehenen Befugnisse sind nicht übertragbar. Schutzrechte Dritter werden durch diese Genehmigung nicht berührt.

Rechtsbehelfsbelehrung

Gegen diese Genehmigung kann innerhalb eines Monats nach Bekanntgabe Widerspruch erhoben werden. Der Widerspruch ist beim **Kraftfahrt-Bundesamt, Fördestraße 16, DE-24944 Flensburg**, schriftlich oder zur Niederschrift einzulegen.



Kraftfahrt-Bundesamt

DE-24932 Flensburg

2

Approval No.: **E1*22R06/03*300693*03**

- Attachment -

Collateral clauses and instruction on right to appeal

Collateral clauses

All equipment which corresponds to the approved type is to be identified according to the applied regulation.

The individual production of serial fabrication must be in exact accordance with the approval documents. Changes in the individual production are only allowed with express consent of the Kraftfahrt-Bundesamt.

Changes in the name of the company, the address and the manufacturing plant as well as one of the parties given the authority to delivery or authorised representative named when the approval was granted is to be immediately disclosed to the Kraftfahrt-Bundesamt.

Breach of this regulation can lead to recall of the approval and moreover can be legally prosecuted.

The approval expires if it is returned or withdrawn or if the type approved no longer complies with the legal requirements. The revocation can be made if the demanded requirements for issuance and the continuance of the approval no longer exist, if the holder of the approval violates the duties involved in the approval, also to the extent that they result from the assigned conditions to this approval, or if it is determined that the approved type does not comply with the requirements of traffic safety or environmental protection.

The Kraftfahrt-Bundesamt may check the proper exercise of the conferred authority taken from this approval at any time. In particular this means the compliant production as well as the measures for conformity of production. For this purpose samples can be taken or have taken. The employees or the representatives of the Kraftfahrt-Bundesamt may get unhindered access to the production and storage facilities.

The conferred authority contained with issuance of this approval is not transferable. Trade mark rights of third parties are not affected with this approval.

Instruction on right to appeal

This approval can be appealed within one month after notification. The appeal is to be filed in writing or as a transcript at the **Kraftfahrt-Bundesamt, Fördestraße 16, DE-24944 Flensburg.**

Technical Report

V00

Test standard:
ECE Regulation No. 22

Level of amendment:
Supplement 3 to the 06 series of amendments

Title:
Protective helmets and their visors

Manufacturer:
Jiangyin Dafeima Automobile Technology Co., Ltd.

Type:
FS-609

Subject of testing:
Component

0 General:

- | | | |
|-------|---|--|
| 0.1 | Make
(trade name of manufacturer): | ACERBIS, <u>ALL ONE</u> , <u>Aprilia</u> , BRG, <u>BULLIT</u> ,
CKX, <u>CMS</u> , CRN, FASEED, HYPE, ILM,
KORDA, MAC, <u>MAXXE</u> , NAXA, POLARIS,
ROCC, <u>RYNOX</u> , SHAFT, SWAY, UFO, UFO
PLAST ITALY SRL, UNIK, VEXO, <u>VITO</u> , WULF |
| 0.2 | Type: | FS-609 |
| 0.2.1 | Commercial description(s): | refer to information document |
| 0.3 | Means of identification of type, if
marked on the vehicle / component
/ technical unit: | refer to information document |
| 0.3.1 | Location of that markings: | refer to information document |
| 0.4 | Category of vehicle: | n.a. |
| 0.5 | Manufacturer's name and address: | Jiangyin Dafeima Automobile Technology Co.,
Ltd.

No.207, Luhu West Road, Huaxi 5th Village,
Huashi Town, Jiangyin, China |
| 0.8 | Name(s) and address(es) of
assembly plant(s): | refer to information document |
| 0.9 | Name and address of
representative: | n.a. |
| | Location of the approval mark: | refer to information document |

1 Appendices

- | | | |
|-----|-------------|----------------|
| 1.1 | Test Record | See appendix A |
|-----|-------------|----------------|

- | | | |
|-----|-----------------------|----------------|
| 1.2 | List of modifications | See appendix B |
|-----|-----------------------|----------------|

2 **Attachments:**

- | | | | |
|-----|---------------------|----------------|---------------|
| 2.1 | Information folder: | No.: | R22-FS-609-03 |
| | | Date of issue: | 04.04.2025 |

3 **Statement of conformity:**

The information folder as mentioned under no. 2.1 and the type described therein are in compliance with the test standard mentioned above. With regard to the required level of performance to be achieved, the test specimen were representative for the type to be approved.

The tests were carried out in accordance to the relevant requirements of the

☐ EN ISO/IEC 17025

☒ EN ISO/IEC 17020

Test Laboratory

SGS-TÜV Saar GmbH

notified by

KBA Kraftfahrt-Bundesamt, Germany No. KBA-P 00084-10	NSAI National Standards Authority of Ireland No. 101	RDW Rijksdienst voor het Wegverkeer, The Netherlands No. 99050064 00	TRANSPORT STYRELSEN, Sweden No. TT 0015
---	---	---	--

Formal review (Conformity Check) by:

Authorized by expert:



Xingyi Pan



Stephen He

Guangzhou, 14.04.2025

This Technical Report shall be reproduced and published in full only and by the client only. It shall be reproduced partially with the written permission of the Test Laboratory only.

This document is issued by the Company subject to its General Conditions of Service (www.sgsgroup.de/agb). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. This document is an original. If the document is submitted digitally, it is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

To assess the conformity, the laboratory refers to the "scope classification" of the Kraftfahrt-Bundesamt (KBA) – Federal Motor Transport Authority (in its valid version at the time of testing) and the specified consideration of the measurement uncertainty for the related test procedure.

In case the measurement uncertainty does not need to be considered according to the scope classification, the laboratory considers the result conform if its measured value is within the specification.

In case the measurement uncertainty does need to be considered according to the scope classification, the laboratory considers the result conform if its value incl. its measurement uncertainty is within the specification.

Test record

1 Test object and measuring equipment

1.1 Test object

- ☒ Protective helmet
 Visor: ☐ with ☒ without
 Accessory: ☐ with ☒ without
☐ Visor (protective screen)
☐ Sun shield (additional tinted screen)
☐ Helmet accessory

1.1.1 Protective Helmet

Type: FS-609
 Sizes: XS (53/54), S (55/56), M (57/58), L (59/60), XL (61/62), XXL (63/64)
 Helmet types:
☐ (J) Jet
☒ (P) Full face
☐ (NP) Jet
☐ (P/J) Modular helmet

1.1.2 Visor

☒ n.a.

1.1.3 Sun shield

☒ n.a.

1.1.4 Helmet accessory

n.a.

1.1.5 Remarks:

Version 1: helmet with type 1 ventilation
 Version 2: helmet with type 2 ventilation

1.2 Equipments for measuring and testing:

1.2.1 Test equipment:

The equipment and the test facilities on which the tests were carried out fulfilled the requirements of the ECE Regulation 22.06

1.2.2 Measurement procedure:

according to ECE Regulation No. 22.06

2	Test Results	Due to the reason of extension (see list of modifications), no further tests were required according to this regulation. The former test results remain valid.
2.1	Protective helmet	Previous result remains available.
2.2	Retention system	Previous result remains available.
2.3	Visor	☒ n.a. (no visor) ☐ n.a. (visor separately approved)
2.4	Sun shield	☒ n.a. (no sun shield) ☐ n.a. (separately approved)
2.5	Information for wearers (clauses 14.1 to 14.6)	Previous result remains available.
3	Other information	
	Place of testing:	SGS CSTC Guangzhou, P.R. China
	Date of testing:	n.a.
4	Remarks:	---



Technical Report
No.: HOM ECN T18/093-03
Type: FS-609
Appendix B

Page
8 of 8

List of modifications:

- | | | |
|---|------------------|---|
| 1 | Correction of: | n.a. |
| 2 | Modification of: | Modify regulation from "Supplement 2 to the 06 series of amendments" to "Supplement 3 to the 06 series of amendments" |
| 3 | Addition of: | Add Make (trade name of manufacturer) " ALL ONE, Aprilia, APRILIA, BULLIT, CMS, MAXXE, RYNOX, VITO" |
| 4 | Deletion of: | n.a. |

- End of Technical Report -

INFORMATION DOCUMENT

No.: R22-FS-609-03

DAFEIMA

Jiangyin Dafeima Automobile Technology Co., Ltd.

TYPE: FS-609

Protective helmet
pursuant to

Regulation No. 22

UNIFORM PROVISIONS CONCERNING THE APPROVAL OF
PROTECTIVE HELMETS, OF THEIR VISORS AND OF THEIR
ACCESSORIES FOR DRIVERS AND PASSENGERS OF
MOTORCYCLES AND MOPEDS

Signature of a responsible person:



Date: 04.04.2025

Reason of extension:

- | | |
|---------------|---|
| Correction: | n.a. |
| Modification: | Modify regulation from "Supplement 2 to the 06 series of amendments" to "Supplement 3 to the 06 series of amendments" |
| Addition: | Add Make (trade name of manufacturer) "ALL ONE, Aprilia, APRILIA, BULLIT, CMS, MAXXE, RYNOX, VITO" |
| Deletion: | n.a. |

DAFEIMA Type : Date: 04.04.2024

Date: 04.04.2025

Manufacture : Jiangyin Dafeima Automobile Technology Co., Ltd.

Page 2 of 16

0 GENERAL INFORMATION

- 0.1 Make (trade name of manufacturer) : ACERBIS, ALL ONE, Aprilia, APRILIA, BRG, BULLIT, CKX, CMS, CRN, FASEED, HYPE, ILM, KORDA, MAC, MAXXE, NAXA, POLARIS, ROCC, RYNOX, SHAFT, SWAY, UFO, UFO PLAST ITALY SRL, UNIK, VEXO, VITO, WULF
- 0.2 Type : FS-609
- 0.2.1 Commercial description(s) : FASEED, ACERBIS, WULF, HYPE, NAXA, KORDA, ILM, SWAY, CRN, VEXO, BRG: FS-609
SHAFT: SH-MX36, SH-MX36 STELL
UNIK: CX-18
CKX: TX 319
UFO, UFO PLAST ITALY SRL: INTREPID
MAC: MX 609
POLARIS: TENACITY 4.0
ROCC: ROCC800
- 0.3 Variants / Versions : Version 1: helmet with type 1 ventilation
Version 2: helmet with type 2 ventilation
- 0.4 Name and address of manufacturer : Jiangyin Dafeima Automobile Technology Co., Ltd.
No.207, Luhui West Road, Huaxi 5th Village, Huashi Town, Jiangyin, China
- 0.5 Name and address of assembly plant : Jiangyin Dafeima Automobile Technology Co., Ltd.
No.207, Luhui West Road, Huaxi 5th Village, Huashi Town, Jiangyin, China
- 0.6 Name and address of manufacturer's authorized representative(if any) : n.a.
- 0.7 Location and method of affixing of the international approval mark : Marked in a label sewn on the retention system, See Annex 5

1 TECHNICAL DESCRIPTION

- 1.1 Description of the helmet
- 1.1.1 Type of helmet : Full face
- 1.1.2 Type of lower face cover : "P" protective
- 1.1.3 Size (s) : XS (53/54), S (55/56), M (57/58), L (59/60), XL (61/62), XXL (63/64)
- 1.1.4 Drawing of the helmet : See Annex 1
- 1.2 Description of the visor : n.a.
- 1.3 Description of the shell
- 1.3.1 Material : ABS
- 1.3.2 Manufacture method : By injection
- 1.3.3 Ventilation : See Annex 1
- 1.3.4 Composition of the border join on the shell : PVC
- 1.3.5 Drawing of the shell : See Annex 2

DAFEIMA Type : Date: 04.04.2024

Date: 04.04.2025

Manufacture : Jiangyin Dafeima Automobile Technology Co., Ltd.

Page 3 of 16

1.4 Description of protective padding

1.4.1 Composition : EPS

1.4.2 Density and weight :

Size (cm)	Shell Size	Comfort padding thickness (Main +Top) (mm)	Protective padding Density (Main + Top + Ear) (Kg/m ³)	EPS Padding Thickness (mm)	Protective padding Weight (Main + Top + Ear) (grams)
XS (53/54)	L	12+35	40+20+45	35+42+31+43	90+16+34
S (55/56)	L	10+30	40+20+45	35+42+31+43	90+16+34
M (57/58)	L	8+25	40+20+45	35+42+31+43	90+16+34
L (59/60)	L	12+20	55+30+70	34+39+31+39	108+24+30
XL (61/62)	L	10+15	55+30+70	34+39+31+39	108+24+30
XXL (63/64)	L	8+10	55+30+70	34+39+31+39	108+24+30

1.4.3 Drawing of the protective padding : See Annex 3

1.5 Description of comfort padding

1.5.1 Composition of
 Comfort padding : Compound sponge
 Comfort tissue : Compound cloth
 Protection of the back of the nape : Compound sponge
 Lateral packing : EPS and compound sponge
 Lower face cover : PU

1.5.2 Drawing of the comfort padding : See Annex 4

1.6 Description of the retention system

1.6.1 Chinstrap
 Material : Nylon

Width : 22 mm

1.6.2 Retention system : Type1: Quick release mechanism
 Type 2: Double "D" Ring

1.6.3 Comfort padding of the retention system
 Composition : Leather and fabric
 Thickness : 2 mm

1.6.4 Anchorage system to the shell : By a metallic piece fitted to the internal part of the shell by a rivet

1.6.5 Drawing of the retention system : See Annex 5

1.7 Other Characteristics

1.7.1 Markings
 Make : Outer shell, different location depending on makers

Weight : Rear part of the shell

Size : Rear part of the shell

Production Year : On the protective padding

1.7.2 Indelible marking

How it is made : Sewing

Position : On the chin strap

DAFEIMA Type : Date: 04.04.2024

Date: 04.04.2025

Manufacture : Jiangyin Dafeima Automobile Technology Co., Ltd.

Page 4 of 16

- 1.8 Accessories
- 1.8.1 Peak : Available
- 1.8.2 Information for wearer
- 1.8.2.1 Text : See Annex 6
- 1.8.2.2 Position : Weave inside rear part of the padding

ANNEXS

- Annex 1 Drawing of the helmet 04.07.2023
- Annex 2 Drawing of the shell
- FS-609 Shell 04.07.2023
- FS-609 Peak 04.07.2023
- Annex 3 Drawing of the protective padding
- FS-609 Large protective padding 04.07.2023
- FS-609 Small protective padding 04.07.2023
- FS-609 Top outer protective padding 04.07.2023
- FS-609 Ear protective padding 04.07.2023
- FS-609 Mouth protective padding 04.07.2023
- Annex 4 Drawing of the comfort padding 04.07.2023
- Annex 5 Drawing of the retention system
- FS-609 Type 1 retention system 04.07.2023
- FS-609 Type 1 retention system 04.07.2023
- Annex 6 Information for wearer 04.07.2023


DAFEIMA Type : Date: 04.04.2024

Date: 04.04.2025

Manufacture : Jiangyin Dafeima Automobile Technology Co., Ltd.

Page 5 of 16

Annex1: Drawing of the helmet



Number	Name	Parameter	Number	Name	Parameter
1	Shell	ABS	8	Comfort padding	Compound sponge + cloth
2	Rear vents	PC	9	Edge trim	PVC
3	Front vents	PC	10	Mouth Protective padding	PU
4	Mouth vent	PC	11	Quick release buckle	PC + Steel
5	Upper rubber trim	PVC	12	ECE Marking	Cloth
6	Peak	ABS	13	Chin strap	Nylon
7	Protective padding	EPS			
Description	FS-609 helmet		Code No.:	FS-609-1	
Manufacturer:	Jiangyin Dafeima Automobile Technology Co., Ltd.				
Address:	No.207, Luhu West Road, Huaxi 5th Village, Huashi Town, Jiangyin, China				
Drawn by:	Jian Tan	Checked by:	Jay Tan	Drawn by:	Abel
Date:	04.07.2023	Date:	04.07.2023	Date:	04.07.2023

R22 E1*22R06/03*300693*03


DAFEIMA Type : Date: 04.04.2024

Date: 04.04.2025

Manufacture : Jiangyin Dafeima Automobile Technology Co., Ltd.

Page 6 of 16

Annex 2: Drawing of the shell



Unit: mm

Number	Name	Parameter	Number	Name	Parameter
1	Shell	ABS			
Description	FS-609 Shell		Code No.:	FS-609-2	
Manufacturer:	Jiangyin Dafeima Automobile Technology Co., Ltd.				
Address:	No.207, Luhu West Road, Huaxi 5th Village, Huashi Town, Jiangyin, China				
Drawn by:	Jian Tan	Checked by:	Jay Tan	Drawn by:	Abel
Date:	04.07.2023	Date:	04.07.2023	Date:	04.07.2023

INFORMATION DOCUMENT



R22-FS-609-03

DAFEIMA Type : Date: 04.04.2024

Date: 04.04.2025

Manufacture : Jiangyin Dafeima Automobile Technology Co., Ltd.

Page 7 of 16



Number	Name	Parameter	Number	Name	Parameter
2	Peak (Type 1)	ABS	3	Peak (Type 2)	ABS
4	Ventilation (Type1)	ABS	5	Ventilation (Type2)	ABS
Description	FS-609 PEAK		Code No.:	FS-609-2.1	
Manufacturer:	Jiangyin Dafeima Automobile Technology Co., Ltd.				
Address:	No.207, Luhu West Road, Huaxi 5th Village, Huashi Town, Jiangyin, China				
Drawn by:	Jian Tan	Checked by:	Jay Tan	Drawn by:	Abel
Date:	04.07.2023	Date:	04.07.2023	Date:	04.07.2023

R22 E1*22R06/03*300693*03


DAFEIMA Type : Date: 04.04.2024

Date: 04.04.2025

Manufacture : Jiangyin Dafeima Automobile Technology Co., Ltd.

Page 8 of 16

Annex 3: Drawing of the protective padding



Unit: mm

Number	Name	Parameter	Number	Name	Parameter
1	Main Protective padding	EPS			
Description	FS-609 Large protective padding		Code No.:	FS-609-3.1	
Manufacturer:	Jiangyin Dafeima Automobile Technology Co., Ltd.				
Address:	No.207, Luhu West Road, Huaxi 5th Village, Huashi Town, Jiangyin, China				
Drawn by:	Jian Tan	Checked by:	Jay Tan	Drawn by:	Abel
Date:	04.07.2023	Date:	04.07.2023	Date:	04.07.2023

INFORMATION DOCUMENT


R22-FS-609-03

DAFEIMA Type : Date: 04.04.2024

Date: 04.04.2025

Manufacture : Jiangyin Dafeima Automobile Technology Co., Ltd.

Page 9 of 16



Unit: mm

Number	Name	Parameter	Number	Name	Parameter
1	Main Protective padding	EPS			
Description	FS-609 Small protective padding		Code No.:	FS-609-3.2	
Manufacturer:	Jiangyin Dafeima Automobile Technology Co., Ltd.				
Address:	No.207, Luhu West Road, Huaxi 5th Village, Huashi Town, Jiangyin, China				
Drawn by:	Jian Tan	Checked by:	Jay Tan	Drawn by:	Abel
Date:	04.07.2023	Date:	04.07.2023	Date:	04.07.2023

R22 E1*22R06/03*300693*03

INFORMATION DOCUMENT




R22-FS-609-03

DAFEIMA Type : Date: 04.04.2024

Date: 04.04.2025

Manufacture : Jiangyin Dafeima Automobile Technology Co., Ltd.

Page 10 of 16



Unit: mm

Number	Name	Parameter	Number	Name	Parameter
2	Top Outer Protective padding	EPS			
Description	FS-609 Top outer protective padding		Code No.:	FS-609-3.3	
Manufacturer:	Jiangyin Dafeima Automobile Technology Co., Ltd.				
Address:	No.207, Luhu West Road, Huaxi 5th Village, Huashi Town, Jiangyin, China				
Drawn by:	Jian Tan	Checked by:	Jay Tan	Drawn by:	Abel
Date:	04.07.2023	Date:	04.07.2023	Date:	04.07.2023

R22 E1*22R06/03*300693*03

INFORMATION DOCUMENT


R22-FS-609-03

DAFEIMA Type : Date: 04.04.2024

Date: 04.04.2025

Manufacture : Jiangyin Dafeima Automobile Technology Co., Ltd.

Page 11 of 16



Unit: mm

R22 E1*22R06/03*300693*03

Number	Name	Parameter	Number	Name	Parameter
3	Ear Protective padding	EPS			
Description	FS-609 Ear protective padding		Code No.:	FS-609-3.4	
Manufacturer:	Jiangyin Dafeima Automobile Technology Co., Ltd.				
Address:	No.207, Luhu West Road, Huaxi 5th Village, Huashi Town, Jiangyin, China				
Drawn by:	Jian Tan	Checked by:	Jay Tan	Drawn by:	Abel
Date:	04.07.2023	Date:	04.07.2023	Date:	04.07.2023

INFORMATION DOCUMENT


R22-FS-609-03

DAFEIMA Type : Date: 04.04.2024

Date: 04.04.2025

Manufacture : Jiangyin Dafeima Automobile Technology Co., Ltd.

Page 12 of 16



Unit: mm

Number	Name	Parameter	Number	Name	Parameter
4	Mouth Protective padding	PU			
Description	FS-609 Mouth protective padding		Code No.:	FS-609-3.5	
Manufacturer:	Jiangyin Dafeima Automobile Technology Co., Ltd.				
Address:	No.207, Luhu West Road, Huaxi 5th Village, Huashi Town, Jiangyin, China				
Drawn by:	Jian Tan	Checked by:	Jay Tan	Drawn by:	Abel
Date:	04.07.2023	Date:	04.07.2023	Date:	04.07.2023

R22 E1*22R06/03*300693*03


DAFEIMA Type : Date: 04.04.2024

Date: 04.04.2025

Manufacture : Jiangyin Dafeima Automobile Technology Co., Ltd.

Page 13 of 16

Annex 4: Drawing of the comfort padding



Number	Name	Material	Number	Name	Material
1	Comfort padding	Compound sponge + Cloth	2	Ear Comfort padding	Compound sponge + Cloth + PP
Description	FS-609 Comfort padding		Code No.:	FS-609-4	
Manufacturer:	Jiangyin Dafeima Automobile Technology Co., Ltd.				
Address:	No.207, Luhu West Road, Huaxi 5th Village, Huashi Town, Jiangyin, China				
Drawn by:	Jian Tan	Checked by:	Jay Tan	Drawn by:	Abel
Date:	04.07.2023	Date:	04.07.2023	Date:	04.07.2023


DAFEIMA Type : Date: 04.04.2024

Date: 04.04.2025

Manufacture : Jiangyin Dafeima Automobile Technology Co., Ltd.

Page 14 of 16

Annex 5: Drawing of the retention system



Number	Name	Material	Number	Name	Material
1	ECE Marking	Cloth	4	Slider bar	Polycarbonate + Steel
2	“B” ring	Steel	5	Quick release buckle	Polypropylene
3	Chin strap	Nylon			
Description	FS-609 Type 1 retention system		Code No.:	FS-609-5.1	
Manufacturer:	Jiangyin Dafeima Automobile Technology Co., Ltd.				
Address:	No.207, Luhu West Road, Huaxi 5th Village, Huashi Town, Jiangyin, China				
Drawn by:	Jian Tan	Checked by:	Jay Tan	Drawn by:	Abel
Date:	04.07.2023	Date:	04.07.2023	Date:	04.07.2023

INFORMATION DOCUMENT


R22-FS-609-03

DAFEIMA Type : Date: 04.04.2024

Date: 04.04.2025

Manufacture : Jiangyin Dafeima Automobile Technology Co., Ltd.

Page 15 of 16



Number	Name	Material	Number	Name	Material
1	ECE Marking	Cloth	3	Chin strap	Nylon
2	“DD” ring	Steel	4	Red Small Strap	Nylon
Description	FS-609 Type 2 retention system		Code No.:	FS-609-5.2	
Manufacturer:	Jiangyin Dafeima Automobile Technology Co., Ltd.				
Address:	No.207, Luhu West Road, Huaxi 5th Village, Huashi Town, Jiangyin, China				
Drawn by:	Jian Tan	Checked by:	Jay Tan	Drawn by:	Abel
Date:	04.07.2023	Date:	04.07.2023	Date:	04.07.2023

DAFEIMA Type : Date: 04.04.2024

Date: 04.04.2025

Manufacture : Jiangyin Dafeima Automobile Technology Co., Ltd.

Page 16 of 16

Annex 6: Information for wearer

WARNING

No helmet can protect the user from all possible and foreseeable impacts.

1. For adequate protection, this helmet must fit closely and be securely attached. Any helmet that has sustained a violent impact should be replaced.
2. Visors (if fitted) with the marking indicating "daytime use only" are not suitable for use during the hours of darkness or in conditions of poor visibility. The fastening of visor is such that it will not be possible to remove it instantly from the line of sight with one hand should an emergency (such as headlamp glare or misting) occur.
3. To maintain the full efficiency of the helmet, any modification to the structure of the helmet or its parts is not allowed.
4. Do not apply paint, stickers, petrol or other solvents to this helmet. Hydrocarbons, cleaning fluids, paints, transfers or other extraneous additions will affect the shell material adversely.

Shell is made by injection method using acrylonitrile butadiene styrene and polycarbonate blending thermoplastic. Lining is made of expanded polystyrene.

Important: read helmet user's guide for additional information prior to using your new helmet.